



# Combining inhomogenous Magnetization Transfer (ihMT) with multi-point Dixon (mDixon) for myelin imaging with efficient fat suppression

Ece Ercan<sup>1</sup>, Ivan E Dimitrov<sup>2,3</sup>, Gopal Varma<sup>4</sup>, Xinzeng Wang<sup>1</sup>, Marco Pinho<sup>1,2</sup>, Ananth J Madhuranthakam<sup>1,2</sup>, Robert E Lenkinski<sup>1,2</sup>, and Elena Vinogradov<sup>1,2</sup>

<sup>1</sup>Radiology, University of Texas Southwestern Medical Center, Dallas, TX, United States, <sup>2</sup>Advanced Imaging Research Center, University of Texas Southwestern Medical Center, Dallas, TX, United States, <sup>3</sup>Philips Healthcare, Gainesville, FL, United States, <sup>4</sup>Radiology, Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States

Anisotropy of inhomogeneous Magnetization Transfer (ihMT) in White Matter Olivier M. Girard<sup>1</sup>, Valentin H. Prevost<sup>1</sup>, Samira Mchinda<sup>1</sup>, Gopal Varma<sup>2</sup>, David C. Alsop<sup>2</sup>, and Guillaume Duhamel<sup>1</sup>

<sup>1</sup>Aix Marseille Univ, CNRS, CRMBM, Marseille, France, <sup>2</sup>Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States

#### Toward Dynamic 3D Cardiac Perfusion Imaging Using bSSFP and Hyperpolarized tert-Butanol

Timothy Pagliaro<sup>1</sup>, Gopal Varma<sup>1</sup>, Li Zhao<sup>1</sup>, David C Alsop<sup>1</sup>, and Aaron K Grant<sup>1</sup>

<sup>1</sup>Radiology, Beth Israel Deaconess Medical Center and Harvard Medical School, Boston, MA, United States

Combined flip angle and echo scaling modulation for optimal fast spin echo Li Zhao<sup>1</sup> and David Alsop<sup>1</sup>

<sup>1</sup>Radiology, Beth Israel Deaconess Medical Center and Harvard Medical School, Boston, MA, United States

# Modeling the increased inhomogeneous magnetization transfer (ihMT) signal from high amplitude, low duty cycle irradiation

Gopal Varma<sup>1</sup>, Aaron K Grant<sup>1</sup>, Olivier M Girard<sup>2</sup>, Valentin H Prevost<sup>2</sup>, Guillaume Duhamel<sup>2</sup>, and David C Alsop<sup>1</sup>

#### Comparison of inhomogeneous magnetization transfer imaging with myelin water imaging (MWI) and diffusion tensor imaging (DTI)

Ece Ercan<sup>1</sup>, Gopal Varma<sup>2</sup>, Burkhard Maedler<sup>3</sup>, Ivan E Dimitrov<sup>4,5</sup>, Marco Pinho<sup>1,4</sup>, Ben Wagner<sup>1</sup>, Elizabeth Davenport<sup>1</sup>, Joseph Maldjian<sup>1</sup>, Robert E Lenkinski<sup>1,4</sup>, and Elena Vinogradov<sup>1,4</sup>

<sup>1</sup>Radiology, University of Texas Southwestern Medical Center, Dallas, TX, United States, <sup>2</sup>Radiology, Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States, <sup>3</sup>Philips Healthcare, Germany, <sup>4</sup>Advanced Imaging Research Center, University of Texas Southwestern Medical Center, Dallas, TX, United States, <sup>5</sup>Philips Healthcare, Gainesville, FL, United States

# Inhomogeneous Magnetization Transfer (ihMT) in normal-appearing tissue correlates with clinical EDSS score of MS patients.

Elise Van Obberghen<sup>1</sup>, Samira Mchinda<sup>1</sup>, Arnaud le Troter<sup>1</sup>, Valentin H. Prevost<sup>1</sup>, Patrick Viout<sup>1</sup>, Elisabeth Soulier<sup>1</sup>, Maxime Guye<sup>1</sup>, Gopal Varma<sup>2</sup>, David C. Alsop<sup>2</sup>, Jean-Philippe Ranjeva<sup>1</sup>, Jean Pelletier<sup>3</sup>, Olivier M. Girard<sup>1</sup>, and Guillaume Duhamel<sup>1</sup>

<sup>1</sup>Aix-Marseille Univ, CNRS, CRMBM UMR 7339, Marseille, France, <sup>2</sup>Radiology, Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States, <sup>3</sup>Aix Marseille Univ, APHM, HÃ pital La Timone, PÃ le de Neurosciences Cliniques, Service de Neurologie, Marseille, France

<sup>&</sup>lt;sup>1</sup>Radiology, Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States, <sup>2</sup>Aix Marseille Univ, CNRS, CRMBM, Marseille, France

#### In-vivo evaluation of pCASL labeling scheme and position

Marta Vidorreta<sup>1,2</sup>, Li Zhao<sup>3</sup>, Sheila Shankar<sup>4</sup>, Daniel H Wolf<sup>4</sup>, David C Alsop<sup>3</sup>, and John A Detre<sup>1,2</sup>

<sup>1</sup>Neurology, University of Pennsylvania, Philadelphia, PA, United States, <sup>2</sup>Radiology, University of Pennsylvania, Philadelphia, PA, United States, <sup>3</sup>Radiology, Beth Israel Deaconess Medical Center and Harvard Medical School, MA, United States, <sup>4</sup>Psychiatry, University of Pennsylvania, PA, United States

# Optimization of Flip Angle Design for Reduced T2 Blurring of 3D Arterial Spin Labeling

Li Zhao<sup>1</sup> and David Alsop<sup>1</sup>

<sup>1</sup>Radiology, Beth Israel Deaconess Medical Center and Harvard Medical School, Boston, MA, United States

The inhomogeneous MT (ihMT) technique: Achievements and perspectives Gopal Varma<sup>1</sup>, Olivier M Girard<sup>2</sup>, Valentin H Prevost<sup>2</sup>, Samira Mchinda<sup>2</sup>, Guillaume Duhamel<sup>2</sup>, and David C Alsop<sup>1</sup>

<sup>1</sup>Radiology, Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States, <sup>2</sup>Aix Marseille Univ, CNRS, CRMBM, Marseille, France

#### Characterization of the power dependency regimes of inhomogeneous Magnetization Transfer (ihMT)

Samira Mchinda<sup>1</sup>, Gopal Varma<sup>2</sup>, Valentin H Prevost<sup>1</sup>, Arnaud Le Troter<sup>1</sup>, Maxime Guye<sup>1,3</sup>, Jean Pelletier<sup>1,4</sup>, Jean-Philippe Ranjeva<sup>1</sup>, David C Alsop<sup>2</sup>, Guillaume Duhamel<sup>1</sup>, and Olivier M Girard<sup>1</sup>

<sup>1</sup>Aix Marseille Univ, CNRS, CRMBM, Marseille, France, <sup>2</sup>Radiology, Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States, <sup>3</sup>Aix Marseille Univ, APHM, Hà pital de La Timone, Pà le d'Imagerie Médicale, CEMEREM, Marseille, France, <sup>4</sup>Aix Marseille Univ, APHM, HÃ pital de La Timone, PÃ le de Neurosciences Cliniques, Service de Neurologie, Marseille, France

#### On the boost effect of inhomogeneous Magnetization Transfer (ihMT)

Valentin H Prevost<sup>1</sup>, Olivier M Girard<sup>1</sup>, Samira Mchinda<sup>1</sup>, Gopal Varma<sup>2</sup>, David C Alsop<sup>2</sup>, and Guillaume Duhamel<sup>1</sup>

<sup>1</sup>Aix Marseille Univ, CNRS, CRMBM, UMR 7339, Marseille, France, <sup>2</sup>Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States

High Resolution Magic Angle Spinning (HR-MAS) NMR characterization of inhomogeneous magnetization transfer (ihMT) responsive samples

Olivier M. Girard<sup>1</sup>, Victor Carvalho<sup>1,2</sup>, Pierre Thureau<sup>2</sup>, Valentin H. Prevost<sup>1</sup>, Samira Mchinda<sup>1</sup>, Gopal Varma<sup>3</sup>, David C. Alsop<sup>3</sup>, and Guillaume Duhamel<sup>1</sup>

<sup>1</sup>Aix Marseille Univ, CNRS, CRMBM, Marseille, France, <sup>2</sup>Aix Marseille Univ, CNRS, ICR, Marseille, France, <sup>3</sup>Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School

Validation of inhomogeneous Magnetization Transfer (ihMT) as a myelin biomarker Valentin H Prevost<sup>1</sup>, Olivier M Girard<sup>1</sup>, Myriam Cayre<sup>2</sup>, Gopal Varma<sup>3</sup>, Samira Mchinda<sup>1</sup>, Jean-Philippe Ranjeva<sup>1</sup>, Jean Pelletier<sup>4</sup>, Pascale Durbec<sup>2</sup>, David C Alsop<sup>3</sup>, and Guillaume Duhamel<sup>1</sup>

<sup>1</sup>Aix Marseille Univ, CNRS, CRMBM, UMR 7339, Marseille, France, <sup>2</sup>Aix Marseille Univ, CNRS, IBDM, UMR 7288, Marseille, France, <sup>3</sup>Division of MR Research, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, United States, <sup>4</sup>Aix Marseille Univ, APHM, HÃ pital de La Timone, PÃ le de Neurosciences Cliniques, Service de Neurologie, Marseille, France